

## Summary of Drilling Results Eleonore South Property (Azimut-Eastmain-Goldcorp JV)

Hole #	UTM zone 18 - NAD83		Azimuth	Dip	Length (m)	Au (g/t) <sup>(1)</sup>	Intercepts (m)			Vertical Depth <sup>(3)</sup>
	Easting	Northing					Length <sup>(2)</sup>	From	To	
ES18-092 Aband.	437,593	5,830,019	N140°	-40°	15	1.41	2.9	6.8	9.7	5.4
ES18-092a	437,593	5,830,019	N140°	-40°	39	5.70	2.9	6.3	9.2	5.0
ES18-093	437,592	5,830,021	N140°	-60°	51	3.80	4.2	7.7	11.9	8.6
						Incl. 20.10	0.7	9.8	10.4	8.8
ES18-094	437,592	5,830,022	N140°	-75°	51	* 0.56	6.95	8.5	16.0	11.9
						Incl. 2.69	1.0	15.0	16.0	15.1
ES18-095	437,580	5,830,021	N140°	-40°	39	13.58	2.5	20.5	23.0	14.0
						Incl. 33.00	1.0	20.5	21.5	13.6
						0.71	1.5	34.5	36.0	23.6
ES18-096	437,580	5,830,022	N140°	-60°	48	1.63	0.7	22.0	22.7	19.3
ES18-097	437,580	5,830,022	N140°	-70°	63	0.48	3.5	22.5	26.0	22.7
						Incl. 1.39	0.7	22.5	23.2	21.3
ES18-098	437,578	5,830,011	N140°	-40°	39	8.56	8.4	8.1	16.5	7.9
						Incl. 71.40	1.0	8.9	9.8	6.0
						18.01	3.9	8.1	12.0	6.5
ES18-099	437,578	5,830,011	N140°	-60°	51	2.58	7.8	11.2	19.0	13.1
						17.40	0.9	13.8	14.7	12.3
ES18-100	437,578	5,830,012	N140°	-75°	51	42.37	7.0	14.0	21.0	16.9
						Incl. 294.00	1.0	17.0	18.0	16.9
ES18-101	437,553	5,830,002	N140°	-50°	201	0.83	3.4	117.6	121.0	90.3
						Incl. 6.06	3.5	143.5	147.0	107.7
						13.60	1.5	145.5	147.0	108.4
						1.70	1.5	174.5	176.0	130.4
ES18-102	437,734	5,829,842	N320°	-50°	201	0.55	3.5	30.5	34.0	24.6
						Incl. 1.09	1.3	46.5	47.8	36.2
						0.75	13.2	55.8	69.0	47.7
						Incl. 1.68	5.0	64.0	69.0	50.9
						15.70	0.6	133.9	134.4	102.7
ES18-103	437,421	5,829,975	N320°	-45°	183	0.93	3.4	72.6	76.0	53.4
						0.93	1.5	168.9	170.4	116.6
ES18-104	437,478	5,829,902	N320°	-45°	153	0.71	1.5	92.0	93.5	70.1
						0.83	1.5	114.1	115.6	88.4
						0.90	0.5	137.3	137.9	107.0
						0.92	3.4	142.6	146.0	112.0
ES18-105	437,287	5,829,840	N320°	-45°	102	0.75	1.0	98.8	99.8	73.6

Table 1 - Press release dated July 18, 2018



## Summary of Drilling Results Eleonore South Property (Azimut-Eastmain-Goldcorp JV)

ES18-106	437,263	5,829,555	N320°	-50°	222		0.53	0.8	87.8	88.6	68.9
							0.59	1.1	90.5	91.6	71.1
							0.79	1.6	111.0	112.5	87.3
							0.59	1.8	209.2	211.0	169.0
ES18-107	437,193	5,829,638	N320°	-50°	222		1.02	1.1	19.2	20.2	15.5
							0.66	1.5	52.5	54.0	43.0
							1.58	1.5	136.5	138.0	111.0
ES18-108a	438,497	5,829,789	N320°	-60°	372	Incl.	1.57	4.9	175.7	180.6	154.4
							1.12	33.6	208.0	241.5	194.9
							1.83	1.0	214.0	215.0	186.3
							18.50	1.5	231.0	232.5	201.1
						Incl.	0.82	6.0	235.5	241.5	206.9
							2.80	1.3	273.8	275.0	238.4
							0.69	84.8	278.2	363.0	279.4
							1.17	10.9	292.5	303.4	259.2
							1.33	2.9	309.0	311.9	270.3
							0.81	4.0	320.0	324.0	280.7
							3.74	0.7	344.9	345.6	301.1
							1.23	16.1	331.9	348.0	296.4
							0.79	5.0	357.0	362.0	313.7
							ES18-109	438,504	5,829,861	N320°	-60°
1.09	0.5	144.8	145.3	126.1							
Incl.	1.69	3.6	147.9	151.5	130.1						
	3.38	0.9	150.5	151.5	131.3						
Incl.	0.58	2.5	154.1	156.6	135.1						
	0.65	30.0	171.0	201.0	162.3						
	2.26	1.5	171.0	172.5	149.4						
	2.50	3.1	177.5	180.6	155.8						
	0.77	22.5	171.0	193.5	158.8						
	0.42	11.0	220.0	231.0	197.0						
Incl.	0.99	1.5	220.0	221.5	192.6						
	0.41	23.5	234.5	258.0	215.0						
Incl.	1.52	1.5	234.5	236.0	205.3						
	0.95	1.5	246.0	247.5	215.4						
	1.11	1.0	254.0	255.0	222.2						
ES18-110	438,425	5,829,805	N320°	-50°	300	Incl.	1.29	1.5	25.0	26.5	19.9
							1.47	1.5	111.4	112.9	87.4
							1.03	5.2	132.8	138.0	105.8
						Incl.	1.95	1.5	136.5	138.0	107.3
							0.51	12.4	169.0	181.4	137.3
							1.58	0.9	169.0	170.0	132.8
							1.10	1.5	179.9	181.4	141.6
							0.96	2.0	205.0	207.0	162.1
							0.70	2.1	271.1	273.2	216.9

Table 1 - Press release dated July 18, 2018



## Summary of Drilling Results Eleonore South Property (Azimut-Eastmain-Goldcorp JV)

ES18-111	438,049	5,829,746	N320°	-55°	300		1.05	1.4	26.8	28.2	22.4
							0.87	2.7	36.3	38.9	30.8
						Incl.	1.35	0.8	37.3	38.1	30.9
							0.91	1.2	95.8	97.0	78.8
							0.51	1.5	241.1	242.6	191.1
							<b>1.41</b>	<b>9.4</b>	267.3	276.6	210.5
						Incl.	<b>5.64</b>	<b>1.0</b>	271.1	272.1	210.2
							<b>2.18</b>	<b>5.6</b>	271.1	276.6	211.8
							1.01	3.0	281.0	284.0	218.8
						Incl.	1.60	1.5	282.5	284.0	219.4
							1.00	1.5	294.5	296.0	228.6
						ES16-051, ES18-051ext	438,000	5,829,803	N322°	-50°	366
Incl.	0.97	1.5	5.2	6.7	4.3						
	<b>0.57</b>	<b>143.1</b>	180.9	324.0	180.8						
	<b>5.00</b>	<b>4.0</b>	180.9	184.9	127.6						
	3.39	1.5	181.9	183.4	127.4						
	<b>14.05</b>	<b>1.0</b>	180.9	181.9	126.4						
	0.55	6.0	206.0	212.0	147.5						
	<b>0.81</b>	<b>28.5</b>	228.5	257.0	173.4						
	1.25	3.0	233.0	236.0	167.1						
	1.49	1.8	248.3	250.1	178.3						
Incl.	<b>**1.16</b>	<b>6.7</b>	248.3	254.9	180.1						
	2.99	1.2	253.8	254.9	182.3						
	0.84	3.0	268.0	271.0	194.1						
	0.84	8.5	292.4	300.9	214.7						
	2.96	1.0	299.9	300.9	217.6						
	0.66	4.5	303.2	307.7	221.5						
	0.92	1.0	312.2	313.2	227.0						
	0.60	11.8	312.2	324.0	231.3						
	0.97	3.0	357.1	360.1	262.3						
ES18-112	437,752	5,829,420	N320°	-50°	300		1.88	1.5	58.3	59.8	46.7
							<b>1.21</b>	<b>4.0</b>	71.3	75.3	57.8
						Incl.	2.39	1.4	71.3	72.7	56.7
							1.77	2.4	71.3	73.7	57.1
							0.89	3.0	93.3	96.3	74.6
						Incl.	1.33	1.5	93.3	94.8	73.9
							<b>0.71</b>	<b>43.4</b>	108.2	151.6	102.7
							<b>1.17</b>	<b>19.3</b>	119.7	139.0	102.3
						Incl.	2.03	9.1	129.9	139.0	106.3
							<b>10.20</b>	<b>1.0</b>	137.0	138.0	108.7
							1.17	1.0	150.6	151.6	119.3
							0.59	0.9	179.5	180.4	141.6
							1.86	2.4	221.7	224.1	174.6
						Incl.	<b>3.43</b>	<b>1.1</b>	221.7	222.8	174.1
							0.52	5.1	238.3	243.4	188.5
Incl.	0.60	1.0	238.3	239.3	186.8						
	0.99	1.6	241.8	243.4	189.9						

Table 1 - Press release dated July 18, 2018



## Summary of Drilling Results Eleonore South Property (Azimut-Eastmain-Goldcorp JV)

ES18-113	437,638	5,829,214	N320°	-65°	300		2.18	3.0	50.5	53.5	48.9
						Incl.	7.22	0.8	52.2	53.0	49.4
							1.29	1.5	87.1	88.6	81.2
							7.65	0.5	140.5	141.0	128.2
							1.13	9.9	152.0	161.9	142.7
						Incl.	5.92	1.0	152.0	153.0	138.7
							0.50	13.7	200.3	214.0	188.4
						Incl.	1.98	0.7	200.3	201.0	182.6
							1.26	1.5	209.5	211.0	191.1
							0.62	16.0	239.5	255.5	224.9
						Incl.	1.43	1.5	239.5	241.0	218.3
							1.82	1.4	251.1	252.5	228.9
							2.12	1.5	254.0	255.5	231.7
							1.33	1.2	284.6	285.8	259.7
ES18-114	437,458	5,829,388	N320°	-50°	250		0.95	1.5	28.5	30.0	22.5
							0.55	3.6	43.5	47.0	34.7
						Incl.	1.32	1.0	46.1	47.0	35.7
							0.62	3.0	74.5	77.5	58.3
							0.48	4.5	97.5	102.0	76.5
							0.94	0.6	107.8	108.4	82.9
							1.83	1.0	152.0	153.0	116.7
							3.88	0.7	179.6	180.3	137.5
							1.21	1.1	223.0	224.1	170.8
						ES18-115	437,423	5,829,353	N320°	-50°	234
	1.31	2.0	74.0	76.0	57.7						
Incl.	0.95	4.0	74.0	78.0	58.4						
	1.48	1.5	84.6	86.1	65.5						
	0.54	3.0	106.5	109.5	82.9						
	0.52	7.3	124.1	131.4	98.0						
Incl.	1.03	1.5	128.4	129.9	99.0						
	0.50	4.0	168.5	172.5	130.7						
ES18-116	437,674	5,829,355	N320°	-50°	300						
							0.94	0.9	55.4	56.3	43.7
							0.50	4.4	69.5	73.9	56.0
							1.40	0.6	97.6	98.2	76.0
							0.46	2.8	128.8	131.5	100.8
							0.95	3.6	112.0	115.6	88.4
						Incl.	1.27	1.5	114.1	115.6	89.2
							1.12	1.5	121.6	123.1	94.9
							1.14	1.7	129.9	131.5	101.2
							0.90	1.5	140.5	142.0	109.4
							1.38	1.0	226.3	227.3	175.1
							0.51	3.0	245.5	248.5	190.5

Table 1 - Press release dated July 18, 2018



## Summary of Drilling Results Eleonore South Property (Azimut-Eastmain-Goldcorp JV)

ES18-117	437,866	5,829,520	N320°	-50°	306		<b>0.48</b>	<b>15.4</b>	44.7	60.0	40.2						
							2.15	1.0	44.7	45.7	34.6						
						Incl.	1.35	0.7	56.5	57.2	43.6						
							0.58	5.3	54.7	60.0	44.0						
							0.46	19.2	63.0	82.2	55.8						
							0.48	16.4	88.7	105.1	74.4						
						Incl.	1.27	1.7	99.4	101.1	77.0						
							1.24	1.4	147.3	148.7	113.6						
							0.86	1.5	183.7	185.2	141.7						
							1.62	1.5	201.7	203.2	155.6						
							0.46	6.0	224.0	230.0	174.3						
						Incl.	1.30	1.5	224.0	225.5	172.5						
						ES18-118	437,475	5,830,009	N140°	-50°	312		<b>2.20</b>	<b>1.5</b>	67.3	68.8	45.8
	1.16	3.1	89.3	92.4	63.3												
Incl.	2.96	1.0	90.3	91.3	63.3												
	0.65	4.5	262.1	266.6	192.9												
	0.92	1.5	262.1	263.6	191.8												
Incl.	0.97	1.5	265.1	266.6	194.1												
	<b>0.64</b>	<b>25.1</b>	284.6	309.7	217.9												
	0.89	1.5	284.6	286.1	208.9												
	2.33	1.5	292.1	293.6	214.7												
	1.18	4.5	292.1	296.6	215.8												
	1.93	3.0	304.1	307.1	224.4												
ES16-048, ES18-048ext	437,597	5,830,024	N142°	-50°	258								<b>8.88</b>	<b>2.5</b>	6.1	8.6	5.6
												Incl.	<b>17.30</b>	<b>1.3</b>	6.1	7.4	5.2
							0.57	1.5	115.5	117.0	86.7						
							0.70	1.5	236.4	237.9	179.4						
ES18-119	437,585	5,829,964	N140°	-50°	201		0.90	1.3	86.6	87.9	61.0						
							1.22	1.0	145.5	146.5	106.0						
							<b>10.40</b>	<b>1.5</b>	165.5	167.0	121.7						

1. Assays presented are not capped.

2. Intervals are presented in core length; true width will vary depending on the intersection angle of hole with targeted zone.

3. Vertical depth is measured from the surface to the mid-point of the reported interval.

\* Loss core in the interval

\*\* Contains a calculated interval of overlapping samples S656609 (Fall of 2016) and X270278 (Winter of 2018)