


Galinée Property Area, James Bay Region, Québec



LBS Geochemistry (846 samples)
Li (percentile)

100%	▲ Spodumene-bearing pegmatite boulder
99%	• LBS sample
96% - 98%	
91% - 95%	
86% - 90%	
81% - 85%	
71% - 80%	
61% - 70%	
51% - 60%	
1% - 50%	


Data: Azimut, MRNF (Québec) and other data in the public domain.

Lithium Lake-Bottom Sediment Geochemistry


5 km



Figure 2 - Press release dated September 6, 2023



Galinée Property Area, James Bay Region, Québec



**LBS Geochemistry (846 samples)
Cs (percentile)**

100%	▲ Spodumene-bearing pegmatite boulder
99%	• LBS sample
96% - 98%	
91% - 95%	
86% - 90%	
81% - 85%	
71% - 80%	
61% - 70%	
51% - 60%	
1% - 50%	

Data: Azimut, MRNF (Québec) and other data in the public domain.

Cesium Lake-Bottom Sediment Geochemistry

Figure 3 - Press release dated September 6, 2023



655,000

645,000

685,000

5,915,000

5,910,000

5,895,000

5,890,000

Galinée Property Area, James Bay Region, Québec




Figure 4 - Press release dated September 6, 2023

